



Testing Cert #2918.01

## Certificate of Analysis

### San Corp

 2400 Sturgis Rd  
 Oxnard California 93030 United States

|                            |                           |                          |                     |
|----------------------------|---------------------------|--------------------------|---------------------|
| <b>Sample Name:</b>        | <b>WPI - 90% #11-0601</b> | <b>Covance Sample:</b>   | <b>984667</b>       |
| <b>Project ID</b>          | SAN_CORP-20110913-0010    | <b>Receipt Date</b>      | 09-Sep-2011         |
| <b>PO Number</b>           | N/A                       | <b>Receipt Condition</b> | Ambient temperature |
| <b>Sample Serving Size</b> |                           | <b>Login Date</b>        | 13-Sep-2011         |
|                            |                           | <b>Storage Condition</b> | Ambient temperature |

| Analysis/Result                        | Result                |
|--|-----------------------|
| <b>Calories</b>                        |                       |
| Calories                               | 378 Cal/100g          |
| <b>Calories from Fat</b>               |                       |
| Calories                               | 11.7 Cal/100g         |
| <b>Fat by Acid Hydrolysis</b>          |                       |
| Fat                                    | 1.3 %                 |
| <b>Carbohydrates</b>                   |                       |
| Total Carbohydrates                    | 3.4 %                 |
| <b>Protein (N x 6.38) Dumas Method</b> |                       |
| Protein                                | 92.5 % (on Dry Basis) |
| <b>Ash</b>                             |                       |
| Ash                                    | 2.48 %                |
| <b>Moisture</b>                        |                       |
| Moisture                               | 4.6 %                 |

| Method References  | Testing Location                 |
|--|----------------------------------|
| <b>Ash (ASHM_S:5)</b>  | <b>Covance Laboratories Inc.</b> |
| Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Method 923.03, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (2005). (Modified)             |                                  |
| <b>Calories (CALC:4)</b>   | <b>Covance Laboratories Inc.</b> |
| United States Department of Agriculture, "Composition of Foods" Agricultural Handbook, No. 8, pp. 159-160, (1975).                                     |                                  |
| <b>Calories from Fat (CFAT:3)</b>  | <b>Covance Laboratories Inc.</b> |
| United States Department of Agriculture, "Composition of Foods" Agricultural Handbook, No. 8, pp. 159-160, (1975).                                     |                                  |
| <b>Carbohydrates (CHO:6)</b>   | <b>Covance Laboratories Inc.</b> |
| United States Department of Agriculture, "Energy Value of Foods", Agriculture Handbook No. 74, pp. 2-11, (1973).                                       |                                  |
| <b>Fat by Acid Hydrolysis (FAAH_S:7)</b>   | <b>Covance Laboratories Inc.</b> |
| Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Methods 922.06 and 954.02, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (2005). (Modified) |                                  |



Testing Cert #2918.01

## Certificate of Analysis

**San Corp**

2400 Sturgis Rd

Oxnard California 93030 United States

**Method References****Testing Location****Moisture (M100T100\_S:4)****Covance Laboratories Inc.**

Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Methods 925.09 and 926.08, AOAC INTERNATIONAL, Gaithersburg, MD, USA,(2005). (Modified).

**Protein (N x 6.38) Dumas Method (DGEN\_S:5)****Covance Laboratories Inc.**

Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Methods 968.06 and 992.15, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (2005). (Modified)

**Testing Location(s)****Released on Behalf of Covance by****Covance Laboratories Inc.****Lori Ross - Associate Director**

3301 Kinsman Blvd  
Madison WI 53704  
608-242-2712 x4170

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Covance.